

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON
03-31-2020

NUMBER
3333000392

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE
PLM



SCIENTIFIC ANALYTICAL INSTITUTE, INC.
15 WEST PLAZA
AJO, AZ 85321



Mary Broz-Vaughan
Mary Broz-Vaughan, Acting Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)

 COMMONWEALTH of VIRGINIA
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE

PLM
NUMBER: 3333000392 EXPIRES: 03-31-2020

SCIENTIFIC ANALYTICAL INSTITUTE, INC.
15 WEST PLAZA
AJO, AZ 85321



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)