

**Arizona
Department of
Health Services**

Division of Public Health Services

Public Health Preparedness Services

Bureau of State Laboratory Services

250 N. 17th Avenue
Phoenix, Arizona 85007-3231
(602) 364-0720
(602) 364-0759 FAX

JANET NAPOLITANO, GOVERNOR
SUSAN GERARD, DIRECTOR

May 12, 2008

Mr. Nathaniel Durham
Scientific Analytical Institute
302-L Pomona Drive
Greensboro, NC 27407

Dear Mr. Durham:


This is to confirm that Scientific Analytical Institute is accredited by a National Voluntary Laboratory Accreditation Program (NVLAP) administered by the National Institute of Standards and Technology and has been approved by the Arizona Department of Health Services pursuant to A.R.S. §§36-495.02 (5) to perform airborne and Bulk Asbestos Fiber Analysis compliance testing.

The Arizona Department of Health Services, Office of Laboratory Services has determined that the laboratory's ADHS certified date will coincide with the dates on the laboratory's NVLAP certificate.

AZ0943 is the number which you will need to use when reporting compliance results to ADEQ or the USEPA. Your approval from the Arizona Licensure Program must be renewed annually by application.

If you have any questions, please do not hesitate to contact me at the above number.

Sincerely,



Barbara A. Escobar
Program Manager
Office of Laboratory Services
Bureau of State Laboratory Services

BAE:tdn

cc: File

Arizona Department of Health Services
Office of Laboratory Licensure, Certification & Training
250 North 17th Avenue, Phoenix, AZ 85007

Monday, May 12 2008

AZ License: AZ0943

Lab Name: Scientific Analytical Institute

Lab Director: Mr. Nathaniel Durham

Phone: 336 292-3888

Fax:

Program	HW			
	Parameter	EPA Method	Billing Code	Cert Date
	Bulk Asbestos	BULK ASBESTOS	MISC14	05/12/08
	Fiber Counting	7400	MISC14	05/12/08
Total Licensed Parameters in this Program:		2		

Instruments	Quantity	Date
Softwares		