Scientific Analytical Institute, Inc.
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: _____
Client Code: _____

Company Contact Information

Company:	Contact:
Address:	Phone ☐:
	Fax ☐:
	Email :

Billing/Invoice Information

SAME ☐
Company:
Contact:
Address:

Turn Around Times^

90 Min. ☐	48 Hours ☐
3 Hours ☐	72 Hours ☐
6 Hours ☐	96 Hours ☐
12 Hours ☐	120 Hours ☐
24 Hours ☐	144+Hours ☐

^ *TATs not available for certain test types*

PO Number:

Project Name/Number:

Industrial Hygiene Test Types

Silica as Alpha Quartz (XSZ)*	☐
With Respirable Dust (XDZ)	☐
Silica as Cristobalite (XSC)*	☐
With Respirable Dust (XDC)	☐
Silica as Tridymite (XST)*	☐
With Respirable Dust (XDT)	☐
Silica as Alpha Quartz, Cristobalite, Tridymite (XSA)*	☐
With Respirable Dust (XDA)	☐
Silica Bulk (XSI)*	☐
Bulk Phase ID/Whole Rock (XUK)	☐
Total Dust NIOSH Method 0500 (GTD)	☐
Respirable Dust NIOSH Method 0600 (GRD)	☐
PCM NIOSH 7400-A Rules (PCM)	☐
B Rules (PCB) ☐ TWA (PTA) ☐	
TEM NIOSH 7402 (Asbestos) (TNI)	☐
Hexavalent Chromium (OSHA ID-215) (Note if from spray paint operations)	☐
Metals (NIOSH 7300) (Specify Metals Under Comments)	☐
Other_____	☐

** Modified NIOSH 7500/OSHA ID 142*

Sample ID #	Description/Location	Volume/Area	Comments

Total # of Samples _____

Relinquished by	Date/Time	Received by	Date/Time

Scientific Analytical Institute, Inc.
4604 Dundas Dr. Greensboro, NC 27407
Phone: 336.292.3888 Fax: 336.292.3313
www.sailab.com lab@sailab.com

Lab Use Only
Lab Order ID: ______________
Client Code: ________________

Sample ID #	Description/Location	Volume/Area	Comments