

Mike DeWine, Governor Jon Husted, Lt Governor Bruce Vanderhoff, MD, MBA, Director MAR 1 3 2024

Nathaniel Durham, President Scientific Analytical Institute, Inc 4606 Dundas Drive Greensboro, NC 27407

RE: Environmental Lead Laboratory Approval Number E10044

Dear Nathaniel Durham:

The Ohio Department of Health (ODH) Lead Poisoning Prevention Program has reviewed your Environmental Lead Analytical Laboratory application. Your laboratory has met all of the criteria for approval as specified in Chapter 3701-82 of the Ohio Administrative Code (O.A.C.) for the following substance(s):

AirDustPaintSoilYour laboratory approval number is E10044.The approval will expire on 03/28/2025.

O.A.C. 3701-82-02 (C) requires you to notify ODH within twenty-four hours if for any reason your National Lead Laboratory Accreditation Program (NLLAP) accreditation is revoked, suspended or limited. Additionally, you shall notify ODH within five business days each time your laboratory's NLLAP accreditation as an Environmental Lead Analytical Laboratory is renewed or modified.

O.A.C. 3701-32-14 (A) requires you to submit a copy of your quarterly proficiency testing results from the "Environmental Lead Proficiency Analytical Testing" (ELPAT) program within five business days of receiving the results to ODH.

Please submit the required information by one of the following methods: first-class mail to the address listed below or electronic mail to lead@odh.ohio.gov.

Ohio Department of Health Lead Poisoning Prevention Program 246 North High Street Columbus, OH 43215

Pursuant to section 3742.16 of the Revised Code (R.C.), and in accordance with R.C. Chapter 119, 1 may propose to refuse to renew, or to suspend or revoke, the approval of any Environmental Lead Laboratory if at any time the laboratory does not meet the requirements of the O.A.C. or Chapter 3742 of the Revised Code.

If you have any questions about this approval letter, please contact John Belt at (614) 466-1450.

Sincerely.

Bruce Vanderhoff, MD, MBA Director of Health

246 North High Stiele Columbus: Ohio 43215 — S A 614 Leer of 41 www.colf.cole.gr